2025/11/03 18:48 1/10 Wrap

Wrap

Basic syntax

An uppercase **<WRAP>** (or alternatively **<block>** or **<div>**) creates a **div** and should be used for **"big"** containers, **surrounding** paragraphs, lists, tables, etc.

```
<WRAP classes width :language>
"big" content
</WRAP>

or
<block classes width :language>
"big" content
</block>

or
<div classes width :language>
"big" content
</div>
```

A lowercase **<wrap>** (or alternatively **<inline>** or ****) creates a **span** and should be used for **"small"** containers, **inside** paragraphs, lists, tables, etc.

```
<wrap classes width :language>"small" content</wrap>
or
<inline classes width :language>"small" content</inline>
or
<span classes width :language>"small" content</span>
```



Please note, some things won't work with lowercase spans:

- alignments (including alignments generated by changing the text direction)
- multi-columns
- and widths

if the according wrap isn't floated as well.

Classes and Styles

Columns and Floats

You can have columns easily by adding the class column and a width, e.g.

<WRAP column 30%>...content...</WRAP>

Emulated Big Headline

You can emulate a big headline with italic, bold and Normally you would only underlined text, e.g.

A smaller headline uses no underlining, e.g.

//**Emulated Small Headline**//

If you need text that is bold and italic, simply use it the other way around:

//No Headline//

Different Floating Options

need the class column, but em, ex, pt, pc, cm, for more sophisticated uses (not only for columns, but for any other classes, like boxes and notes as well) you Emulated Small Headline can have several kinds of "floats":

- column is the same as left in LTR languages and the same as right in RTL languages
- **left** will let you float your wrap on the left
- right will let the wrap float right
- center will position the wrap in the horizontal center of the page

Widths

You can set any valid widths any of (but only on divs): %, px, mm, in, but most of the time you'd only want either

using the float classes. vou might come

be ...

After

u	type	e.g.	note	across
	%	30%	makes sense in a liquid layout	somethi ng like
5	рх	420px	your layout has a fixed pixel width or if your container contains images with a certain width	this, where the followin g text protrud es into
9	em	20em	you like your wrap container to grow and	the space where only the floating containe rs

A **table** inside a column or box will always be 100% wide. This makes positioning and sizing tables possible.

https://laswitchtech.com/ Printed on 2025/11/03 18:48 2025/11/03 18:48 3/10 Wrap

... to prevent that, you should simply add

<WRAP clear></WRAP>

after your last column.

You can use the same options with spans (as each element that floats is automatically a block

level element), but it probably doesn't make too much sense. not work (by design), but can make sense, when it is floating. Widths on spans normally do

Attention: Widths can cause problems and will often look different and break in some browsers. If you're not a web developer, you might not understand any problems regarding the box model. Just try to test your columns in all major browsers and make your widths smaller than you initially think they should be.

All of those options will also work in the boxes and notes wraps (see below).

Multi-columns

For modern browsers (Firefox, Chrome and Safari) you can use multi-columns. Just use **col2** for 2 columns, **col3** for 3 columns, **col4** for 4 columns and **col5** for 5 columns.



Note: Multi-columns don't make sense for spans.

Alignments

You can use these different text alignments:

- leftalign
- rightalign
- centeralign
- justify

Center aligned text ...

... and right aligned.

```
<WRAP centeralign>
Center aligned text ...
</WRAP>

<WRAP rightalign>
... and right aligned.
</WRAP>
```



You cannot add alignments to spans.

Boxes and Notes

round box 570px center

- box creates a box around the container and uses the colours from the template's style.ini as default colours (__background_alt__ and text)
- any of the classes info, tip, important, alert, help, download, todo will add a special note container with a corresponding icon
- the classes danger, warning, caution, notice, safety use safety colours (and no icons)
- round can be added to anything with a background colour or a border and will only work in modern browsers (no Internet Explorer)





Tip

<WRAP tip></WRAP>

https://laswitchtech.com/ Printed on 2025/11/03 18:48


2025/11/03 18:48 5/10 Wrap




Important

<WRAP important></WRAP>










Safety Notes:

Danger	Warning	Caution
<wrap danger></wrap 	<wrap warning></wrap 	<wrap caution=""></wrap>



You can use notes and boxes also inside text with spans like this: info, help, alert, important, tip, download, todo and round box and danger, warning, caution, notice, safety.

<wrap info>info</wrap>, <wrap help>help</wrap>, ...

Marks

You can mark text as highlighted, less significant and especially emphasised.

You can mark text as <wrap hi>highlighted</wrap>, <wrap lo>less significant</wrap> and <wrap em>especially emphasised</wrap>.



This might look ugly in some templates and should be adjusted accordingly.

Miscellaneous

Indent

This text will appear indented.

<wrap indent>This text will appear indented.</wrap>

Outdent

This text will appear "outdented".

<wrap outdent>This text will appear "outdented".</wrap>

https://laswitchtech.com/ Printed on 2025/11/03 18:48

2025/11/03 18:48 7/10 Wrap

Prewrap

Inside this code block the words will wrap to a new line although they are all in one line.

```
<WRAP prewrap 250px>
<code>
Inside this code block the words will wrap to a new line although they are all in one line.
</code>
</WRAP>
```

Spoiler

Here follows a spoiler: <wrap spoiler>Darth Vader is Luke's father.</wrap>

Just select the text in the spoiler box to be able to read its content.

Hide

The following text is hidden:

The following text is hidden: <wrap hide>John, please revise that sentence.</wrap>

Warning: The text will still appear in the source code, in non-modern browsers and is searchable. Do not hide any security risky secrets with it!

Pagebreak

The following will add a pagebreak:

The following will add a pagebreak: <WRAP pagebreak></WRAP>

This has no effect on the browser screen. A pagebreak will force a new page in printouts.

Nopagebreak

The following will try to avoid a pagebreak:

much content, belonging together (like a long table)

The following will try to avoid a pagebreak: <WRAP nopagebreak>much content, belonging together (like a long table)</WRAP>

This also has no effect on the browser screen. It will try to avoid a page break in printouts.

Noprint

<wrap noprint>This text appears on the screen, but not in print.</wrap>

Onlyprint

This text does not appear on the screen, but only in print.

<wrap onlyprint>This text does not appear on the screen, but only in print.

Typography

I advice against using the following typography classes. It's better to create semantic classes that reflect their meaning instead.

- font family: sansserif, serif, monospace
- font size: bigger, muchbigger, smaller
- font colour: fgred, fggreen, fgblue, fgcyan, fgviolet, fgyellow, fggrey, fgwhite, fgblack

https://laswitchtech.com/ Printed on 2025/11/03 18:48

2025/11/03 18:48 9/10 Wrap

 background colour: bgred, bggreen, bgblue, bgcyan, bgviolet, bgyellow, bggrey, bgwhite, bgblack

Combining and Nesting

You can combine and nest all classes and types of boxes, e.g.

```
<WRAP box bggreen fgblack 350px</pre>
right :en>
//** Outer green box floats
right **//
<WRAP 165px left>
Inner nested box floats left and
is partly <wrap em
hi>__em__phasized and
hi ghlighted with nested
<wrap bigger> bigger
text</wrap> inside</wrap>.
</WRAP>
Text inside outer right box, but
beneath inner left box.
<WRAP clear></WRAP>
<WRAP round tip>
Round tip box underneath, after
a ''clear''.
</WRAP>
```

Outer green box floats right

Inner nested box Text inside outer right floats left and is partly box, but beneath inner emphasized and left box.

highlighted with nested bigger text inside.



Round tip box underneath, after a clear.

Language and Text Direction

You can change the language and the reading direction of a wrap container by simply adding a colon followed by the language code, like this:

```
<WRAP :he>
. ((<wrap :en>This means "This is Hebrew.", at least according to
```

</WRAP>

```
[[http://translate.google.com/|Google Translate]].</wrap>))
</WRAP>
```

זה עברית. "

The text direction (rtl, right to left or ltr, left to right) will get inserted automatically and is solely dependent on the language. The list of currently supported languages is taken from: http://meta.wikimedia.org/wiki/Template:List of language names ordered by code (If you specify a language not listed there, it simply won't do anything.)

1)

This means "This is Hebrew.", at least according to Google Translate.

From:

https://laswitchtech.com/ - LaswitchTech

Permanent link:

https://laswitchtech.com/en/projects/writr/documentation/03/01/wrap/index

Last update: 2024/11/06 14:54



Printed on 2025/11/03 18:48 https://laswitchtech.com/